



Model	B14	
Part Number	HX-01022	
Material	316/316L	
Overall Dimensions (Core) (W x L x H)	4 x 24 x 1.56 in	101.6 x 609.6 x 39.5 mm
Length (between side nozzle centers)	21.89 in	556.0 mm
Max Pressure	2616 psig (@302°F)	180.4 barg (@150°C)
Max Temperature	1000°F (@2000 psig)	538°C (@137.9 barg)
Surface Area (Side A)	10.278 ft ²	0.9549 m ²
Surface Area (Side B)	11.475 ft ²	1.0660 m ²
Internal Volume (Side A)	0.0755 gal	0.2858 lt
Internal Volume (Side B)	0.0833 gal	0.3155 lt
Connector (in)	1 NPT Male	

Model	B14	
Part Number	HX-01079	
Material	Al 6061	
Overall Dimensions (Core) (W x L x H)	4 x 24 x 1.56 in	101.6 x 609.6 x 39.5 mm
Length (between side nozzle centers)	21.89 in	556.0 mm
Max Pressure	1800 psig (@224.8°F)	124.1 barg (@107.1°C)
Max Temperature	392°F (@715.7 psig)	200°C (@49.3 barg)
Surface Area (Side A)	10.278 ft ²	0.9549 m ²
Surface Area (Side B)	11.475 ft ²	1.0660 m ²
Internal Volume (Side A)	0.0755 gal	0.2858 lt
Internal Volume (Side B)	0.0833 gal	0.3155 lt
Connector (in)	1 NPT Male	



Model	B14	
Part Number	HX-01080	
Material	Ti Grade 2	
Overall Dimensions (Core) (W x L x H)	4 x 24 x 1.56 in	101.6 x 609.6 x 39.5 mm
Length (between side nozzle centers)	21.89 in	556.0 mm
Max Pressure	1800 psig (@307°F)	124.1 barg (@153°C)
Max Temperature	617°F (@1123 psig)	325°C (@77.4 barg)
Surface Area (Side A)	10.278 ft ²	0.9549 m ²
Surface Area (Side B)	11.475 ft ²	1.0660 m ²
Internal Volume (Side A)	0.0755 gal	0.2858 lt
Internal Volume (Side B)	0.0833 gal	0.3155 lt
Connector (in)	1 NPT Male	